

## Reasons for HOPE

Robert D. Sege, MD, PhD

Practicing pediatrics in 2020 was difficult. Family life was disrupted by the pandemic. The health effects of inequality and racism were exacerbated. My views on family life during the pandemic have been shaped by meeting (virtually) with >7000 direct service providers around the country through the Healthy Outcomes from Positive Experiences (HOPE) National Resource Center. Their stories reveal how families and communities have adapted to recent disruptions, offering strength and support to their children and one another. Many children had positive experiences that will promote optimal child health and development.

Key positive childhood experiences not only promote optimal development but also prevent and mitigate the effects of toxic stress.<sup>1</sup> In this perspective, I highlight how we pediatricians might benefit from a shift in mindset toward a view that integrates our understanding of the effects of positive childhood experiences. This integration will require conscious effort because the predominant focus of training and reimbursement has been to screen for risks and refer patients to services. Changing the way we assess the families we serve also opens the door to a more antiracist approach to caring for children.

### POSITIVE CHILD AND FAMILY EXPERIENCES DURING THE PANDEMIC

Many children have experienced stronger family relationships through time spent together, supported by an uptick in community engagement. Although mental health problems have increased,<sup>2</sup> we have heard stories<sup>3</sup> from families who held it together for their kids, celebrating time together as a family. Facing unemployment themselves, people brought food to neighbors who were too old or too ill to venture outdoors. School systems worked to close technology gaps, providing computers and Internet service to students. Children have felt the caring of grandparents, teachers, health providers, home visitors, and others who persistently connected by phone, text, and/or video chat. Adults have created safe environments for their children with demonstrations of love, compassion, and hope. Our observations are consistent with recent publications in which childhood resilience is discussed<sup>4</sup> and the importance of highlighting positive childhood experiences is recognized.<sup>5</sup>

*Center for Community-Engaged Medicine, Institute for Clinical Research and Health Policy Studies, Tufts Medical Center, Boston, Massachusetts*

**DOI:** <https://doi.org/10.1542/peds.2020-013987>

Accepted for publication Feb 16, 2021

Address correspondence to Robert D. Sege, MD, PhD, Center for Community-Engaged Medicine, Institute for Clinical Research and Health Policy Studies, Tufts Medical Center, Box 063, 800 Washington St, Boston, MA 02111. E-mail: [rsege@tuftsmedicalcenter.org](mailto:rsege@tuftsmedicalcenter.org)

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2021 by the American Academy of Pediatrics

**FINANCIAL DISCLOSURE:** The authors have indicated they have no financial relationships relevant to this article to disclose.

**FUNDING:** Funded by the JPB Foundation, New York City, New York, and through resources funded by CTSA award UL1TR002544.

**POTENTIAL CONFLICT OF INTEREST:** The authors have indicated they have no potential conflicts of interest to disclose.

**To cite:** Sege RD. Reasons for HOPE. *Pediatrics*. 2021; 147(5):e2020013987

## **PIVOTING TOWARD PROMOTING RESILIENCE**

Pediatricians focus on the experiences of individual children as they grow. On the basis of work conducted since the 1990s, we know that adverse childhood experiences risk harming child and adult health.<sup>6</sup> At the same time, protective factors, which are sometimes overlooked, have emerged, requiring our clinical attention.<sup>7</sup> Identifying, classifying, celebrating, and bolstering these experiences can and should become part of our new normal.

The movement toward incorporating a strengths-based approach is well underway; the evidence for such approaches has been building for decades. *Bright Futures* is part of this movement, calling on pediatricians to identify child and family strengths.<sup>8</sup> At a policy level, the Centers for Disease Control and Prevention's Essentials for Childhood initiative supports states in developing policies and social norms that promote safe, stable, and nurturing relationships and environments for every child.<sup>9-11</sup> In the Strengthening Families approach, referenced in *Bright Futures*, attention is focused on family-level protective factors: parental resilience, concrete support in times of need, social connection, knowledge of parenting and child development, and children's social-emotional competence.<sup>12</sup>

These policy- and family-level approaches promote opportunities for children to have experiences that help them flourish: stable and supportive relationships; safe and equitable environments in which to live, learn, and play; civic and social engagement that promotes children's sense that they matter to others; and opportunities for social and emotional development.<sup>13</sup> These childhood experiences counter the ill effects of adversity and promote adult mental health.<sup>13</sup> Adults who experienced childhood adversity

were protected from adult depression and poor mental health if they also recalled these important positive childhood experiences.<sup>14</sup>

## **FOCUSING ON STRENGTHS SUPPORTS AN ANTIRACIST ORIENTATION**

Developing an antiracist approach to practice begins with acknowledging the struggles that families face (including their systemic roots) and paying close attention to the strengths and connections that power resilience. Attention to positive experiences illuminates the supports, practices, and policies that promote resilience in children and families. Public policies, including paid parental leave, can promote early relationships and foster positive experiences. Unemployment payments early in the pandemic, as well as eviction moratoriums, allowed some families to spend time together with lessened economic stress, beginning to address some of the pandemic's health inequities.

Incorporating this focus on strengths provides a more holistic view of factors contributing to health. In clinical practice, that includes identifying and celebrating positive childhood experiences. Exploring child, family, and community resilience naturally lends empathy and dignity to evidence-based screening. Appreciating and bolstering resilience also creates an environment that promotes shared decision-making based on acknowledgment of families' expertise.

Experiencing discrimination is itself an adverse childhood experience that has systemic roots and leads to other forms of childhood adversity. When clinical encounters are focused on adversity without consideration of its systemic causes, we risk recasting the effects of broader social forces into individual deficits.<sup>15</sup> The effects of systemic racism have been clear for many years; families of color

experienced disproportionate levels of coronavirus disease 2019 infection, injury, and death.<sup>16</sup> As Ellis and Dietz<sup>15</sup> reported in 2017, adverse childhood experiences grow from adverse community environments, including systemic racism.

## **TRANSLATING HOPE INTO ACTION**

Recent disruptions present an opportunity to focus on the importance of positive childhood experiences.<sup>17</sup>

Here are a few practical changes that can be implemented immediately:

1. Ask parents about the health of their relationships, the ways in which they are engaging with their families and communities during the pandemic, and their sources of resilience.
2. Cultivate a mindset that situates screening for serious, difficult problems within respectful relationships. Focus on building strengths in addition to addressing deficits.
3. Discuss ways that parents can create positive experiences for their children during and immediately after the pandemic.<sup>17-19</sup>
4. Fine-tune all elements of the process of care to ensure that parents and families feel safe and supported from the moment they walk in the door and throughout the encounter. This takes many forms, all including detailed attention to the family experience. For example, when a family arrives late because of unpredictable transit delays, clinical staff can recognize their distress and engage them in solving the problems generated by the late arrival.

We can train ourselves to see strengths in patient encounters. For example, was the infant with opioid exposure born to a mother who entered and stayed in recovery by

relying on her social network as well as medication-assisted treatment? Is the tired and disconnected father exhausted from his essential (and newly risky) job? Does the teenager who smokes marijuana also bring groceries to her grandparents?

Simple actions can make a difference. When a new parent cannot think of anyone to call on for support, spend a few minutes brainstorming.<sup>20</sup> Ask them to recall a time when things worked out okay; who was there to lend a hand? Systematically asking about relationships, the child's home and community environment, and their engagement in the community can promote the sense of admiration and empathy.

American Academy of Pediatrics guidance that addresses the effects of racism<sup>21</sup> and poverty<sup>22</sup> lays a new foundation for child health care that incorporates antiracism and antipoverty. By noticing, celebrating, and bolstering how families exhibit resilience,<sup>23</sup> pediatricians can see love, joy, and strength thriving and can develop caring relationships with families. These relationships support collaborative problem-solving, which ultimately works through problems identified by parents themselves or through evidence-based screens.

Over the next few months, we can expect continued challenges as the pandemic grinds on. Identifying, celebrating, and promoting resilience factors requires reflection and hard work. This moment in time has created an opportunity to rebuild as a more just society in which equity and social justice are the new normal, benefiting all our patients now and into adulthood.

## ACKNOWLEDGMENTS

I acknowledge the editorial support of the staff of the HOPE National Resource Center at Tufts Medical Center in Boston, Chloe Yang and Dr Dina Burstein, and our National Advisory Board. Special thanks to

Drs Baraka Floyd, Jeff Linkenbach, and David Willis for their editorial contributions.

## ABBREVIATION

HOPE: Healthy Outcomes From Positive Experiences

## REFERENCES

1. Bethell CD, Solloway MR, Guinosso S, et al. Prioritizing possibilities for child and family health: an agenda to address adverse childhood experiences and foster the social and emotional roots of well-being in pediatrics. *Acad Pediatr*. 2017;17(suppl 7):S36–S50
2. Patrick SW, Henkhaus LE, Zickafoose JS, et al. Well-being of parents and children during the COVID-19 pandemic: a national survey. *Pediatrics*. 2020; 146(4):e2020016824
3. Tufts Medical Center. Stories of HOPE. 2020. Available at: <https://positiveexperience.org/stories-of-hope-landing-page/>. Accessed October 15, 2020
4. Masten AS, Motti-Stefanidi F. Multisystem resilience for children and youth in disaster: reflections in the context of COVID-19. *Advers Resil Sci*. 2020;1:95–106
5. Dvorsky MR, Breaux R, Becker SP. Finding ordinary magic in extraordinary times: child and adolescent resilience during the COVID-19 pandemic [published online ahead of print July 1, 2020]. *Eur Child Adolesc Psychiatry*. doi:10.1007/s00787-020-01583-8
6. Merrick MT, Ford DC, Ports KA, et al. Vital signs: estimated proportion of adult health problems attributable to adverse childhood experiences and implications for prevention - 25 states, 2015-2017. *MMWR Morb Mortal Wkly Rep*. 2019;68(44):999–1005
7. Harper Browne C. The Strengthening Families Approach and Protective Factors Framework: A Pathway to Healthy Development and Well-Being. In: Shapiro CJ, Harper Browne C, eds. *Innovative Approaches to Supporting Families of Young Children*. Cham, Switzerland: Springer International Publishing; 2016:1–24
8. Hagan JF, Shaw JS, Duncan PM, eds.. *Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents*, 4th ed. Elk Grove Village, IL: American Academic of Pediatrics; 2017
9. Division of Violence Prevention, National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. Essentials for childhood: steps to create safe, stable, nurturing relationships and environments. 2014. Available at: <https://www.cdc.gov/violenceprevention/pdf/essentials-for-childhood-framework508.pdf>. Accessed November 26, 2018
10. Centers for Disease Control and Prevention. Promoting positive community norms: a supplement to CDC's essentials for childhood: steps to create safe, stable, nurturing relationships and environments. 2014. Available at: <https://www.cdc.gov/violenceprevention/pdf/efc-promoting-positive-community-norms.pdf>. Accessed October 15, 2020
11. Sege R, Linkenbach J. Essentials for childhood: promoting healthy outcomes from positive experiences. *Pediatrics*. 2014;133(6). Available at: <https://pediatrics.aappublications.org/content/133/6/e1489>
12. Harper Browne C. The strengthening families approach and protective factors framework: branching out and reaching deeper. 2014. Available at: <https://cssp.org/wp-content/uploads/2018/11/Branching-Out-and-Reaching-Deeper.pdf>. Accessed October 27, 2020
13. Sege RD, Harper Browne C. Responding to ACEs with HOPE: Health Outcomes From Positive Experiences. *Acad Pediatr*. 2017;17(suppl 7):S79–S85
14. Bethell C, Jones J, Gombojav N, Linkenbach J, Sege R. Positive childhood experiences and adult mental and relational health in a statewide sample: associations across adverse childhood experiences levels. *JAMA Pediatr*. 2019;173(11): e193007
15. Ellis WR, Dietz WH. A new framework for addressing adverse childhood and community experiences: the building

- community resilience model. *Acad Pediatr.* 2017;17(suppl 7):S86–S93
16. Goyal MK, Simpson JN, Boyle MD, et al. Racial and/or ethnic and socioeconomic disparities of SARS-CoV-2 infection among children. *Pediatrics.* 2020;146(4):e2020009951
  17. Willis D, Sege R, Johnson K. *Changing the Mindset: Foundational Relationships Counter Adversity with HOPE.* Washington, DC: Center for the Study of Social Policy; 2020
  18. Sege R. Creating Positive Experiences for Toddlers & Preschool-Age Children. 2020. Available at: <https://www.healthychildren.org/English/healthy-living/emotional-wellness/Building-Resilience/Pages/Creating-Positive-Experiences-for-Toddlers-&Preschool-Age-Children.aspx>. Accessed March 10, 2021
  19. Sege R. HOPE in the Time of Coronavirus: 10 Ways to Promote Positive Childhood Experiences. 2020. Available at: <https://positiveexperience.org/hope-in-the-time-of-coronavirus-10-ways-to-promote-positive-childhood-experiences/>. Accessed March 10, 2021
  20. Yang C. Resilience, Development, and Covid-19. 2020. Available at: <https://positiveexperience.org/resilience-development-and-covid-19/>. Accessed March 20, 2021
  21. Trent M, Dooley DG, Dougé J; Section on Adolescent Health; Council on Community Pediatrics; Committee on Adolescence. The impact of racism on child and adolescent health. *Pediatrics.* 2019;144(2):e20191765
  22. Council on Community Pediatrics. Poverty and child health in the United States. *Pediatrics.* 2016;137(4):e20160339
  23. Heard-Garris N, Davis MM, Szilágyi M, Kan K. Childhood adversity and parent perceptions of child resilience. *BMC Pediatr.* 2018;18(1):204

## Reasons for HOPE

Robert D. Sege

*Pediatrics* originally published online April 20, 2021;

### Updated Information & Services

including high resolution figures, can be found at:  
<http://pediatrics.aappublications.org/content/early/2021/04/18/peds.2020-013987>

### References

This article cites 12 articles, 4 of which you can access for free at:  
<http://pediatrics.aappublications.org/content/early/2021/04/18/peds.2020-013987#BIBL>

### Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):

#### Advocacy

[http://www.aappublications.org/cgi/collection/advocacy\\_sub](http://www.aappublications.org/cgi/collection/advocacy_sub)

#### Public Health

[http://www.aappublications.org/cgi/collection/public\\_health\\_sub](http://www.aappublications.org/cgi/collection/public_health_sub)

### Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:  
<http://www.aappublications.org/site/misc/Permissions.xhtml>

### Reprints

Information about ordering reprints can be found online:  
<http://www.aappublications.org/site/misc/reprints.xhtml>

# American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



# PEDIATRICS<sup>®</sup>

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

## Reasons for HOPE

Robert D. Sege

*Pediatrics* originally published online April 20, 2021;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/early/2021/04/18/peds.2020-013987>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2021 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN<sup>®</sup>

